

BUCKING BARS – TAS DE RIVETAGE




AIRFRAME TOOLING FOR PRODUCTION & MAINTENANCE

ATI613T	ATI610	ATI638	ATI670	ATI715	ATI732	ATI751R-H
ATI614T	ATI611	ATI639	ATI671	ATI718	ATI735	ATI751U-1
ATI634T	ATI612	ATI640	ATI672	ATI719	ATI736	ATI751V-1
ATI634TX	ATI613	ATI641	ATI674	ATI720	ATI737	ATI751Y-11
ATI729-13T	ATI614	ATI642	ATI676	ATI721	ATI750D-23	ATI752A-1
ATI729-3T	ATI616	ATI643	ATI678	ATI722	ATI750E-1	ATI752B-1
ATI732T	ATI618	ATI644	ATI679	ATI723	ATI750J-5	ATI752C-1
ATI760B-10T	ATI619	ATI646	ATI680	ATI724	ATI750J-51	ATI752F-1
ATI760B10TXX	ATI620	ATI647	ATI681	ATI725	ATI750K-1	ATI752P-1
ATI760B-2T	ATI621	ATI648	ATI682	ATI727	ATI750K-2	ATI752Z-1
ATI764T	ATI622	ATI649	ATI683	ATI728	ATI750N-1	ATI590BBK
ATI765T	ATI624	ATI652	ATI685	ATI729-1	ATI750N-26	ATI753M-1
ATI766T	ATI625	ATI653	ATI686	ATI729-10	ATI750P-3	ATI753T-4
ATIETBB	ATI626	ATI656	ATI690	ATI729-11	ATI750S-1	ATI760B-1
ATI601	ATI627	ATI657	ATI692	ATI729-2	ATI750S-61	ATI760B-10
ATI602	ATI628	ATI658	ATI694	ATI729-3	ATI750T-1	ATI760B-2
ATI603	ATI629	ATI659	ATI698	ATI7294	ATI750U-1	ATI760B-3
ATI604	ATI630	ATI661	ATI700	ATI729-5	ATI750V-1	ATI760B-7
ATI605	ATI632	ATI662	ATI701	ATI729-6	ATI750Y-1	ATI760B-8
ATI606	ATI633	ATI664	ATI702	ATI729-8	ATI750Z-1	ATI760C-1
ATI607	ATI634	ATI665	ATI707	ATI729-9	ATI751B21	ATI761C5
ATI608	ATI636	ATI668	ATI708	ATI730	ATI751K-1	ATI763
ATI609	ATI637	ATI669	ATI711	ATI731	ATI751L-4	ATI1001

ATI BUCKING BARS ARE THE BEST VALUE AVAILABLE. HERE'S WHY:

All Bucking surfaces are flat and polished to a minimum 63 finish after heat treat.

ATI offers the largest selection of different configured bars available.



All Bucking surfaces are dipped in clear plastic to prevent damage during shipment and storage.

All sharp corners and edges are radiused 1/32"-1/16" to prevent skin damage.


BUCKING BARS

BUCKING BARS, TUNGSTEN




- High density tungsten absorbs bucking impact
- Reduces vibration and minimizes bucking bar movement when riveting
- Sharp edges are radiused up to 1/16" to prevent skin damage
- Smaller configured design provides enhanced bucking in tight areas


Custom designed tungsten bars may be available upon special request.




ATI613T
9.0 LBS




ATI614T
8.0 LBS




ATI634T
1.6 LBS




ATI634TX
1.4 LBS




ATI729-3T
1.55 LBS




ATI729-13T
1.2 LBS




ATI732T
2.11 LBS




ATI760B-2T
2.85 LBS




ATI760B-10T
5.5 LBS



ATI760B-10TX
1.92 LBS




ATI760B10TXX
1.25 LBS




ATI764T
1.3 LBS







ATI765T
1.75 LBS




ATI766T
1.7 LBS




ATIETBB08
6.0 LBS




ATIETBB10
3.85 LBS




ATIETBB20
1.95 LBS




ATIETBB22
2.90 LBS




ATIETBB23
2.40 LBS




ATIETBB24
4.05 LBS



ATIETBB25
3.15 LBS



ATIETBB37
5.75 LBS




ATIETBB40
3.05 LBS

BUCKING BARS


BUCKING BARS, STANDARD



- All bucking surfaces are polished to a minimum 63 finish after heat treat
- All sharp corners and edges are radiused $1/32"$ - $1/16"$ to prevent skin damage
- All bucking surfaces are dipped in clear plastic to prevent damage during shipment and storage




➤➤➤ **ATI601**
6.00 LBS



➤➤➤ **ATI602**
1.25 LBS




➤➤➤ **ATI603**
6.50 LBS




➤➤➤ **ATI604**
1.75 LBS




➤➤➤ **ATI605**
1.50 LBS




➤➤➤ **ATI606**
0.75 LBS




➤➤➤ **ATI607**
2.50 LBS




➤➤➤ **ATI608**
1.25 LBS




➤➤➤ **ATI609**
0.50 LBS




➤➤➤ **ATI610**
0.75 LBS




➤➤➤ **ATI611**
1.00 LBS




➤➤➤ **ATI612**
1.25 LBS




➤➤➤ **ATI613**
5.50 LBS



➤➤➤ **ATI614**
2.75 LBS



➤➤➤ **ATI616**
1.00 LBS



➤➤➤ **ATI618**
2.25 LBS




WARNING




SAFETY PRECAUTION: Read and follow all safety and operating instructions.
WARNING: Face & eye protection must be worn while operating power tools, per ANSI B186.1







»»» ATI619
1.25 LBS




»»» ATI620
4.50 LBS




»»» ATI621
7.00 LBS




»»» ATI622
2.50 LBS




»»» ATI624
1.00 LBS




»»» ATI625
5.25 LBS




»»» ATI626
6.00 LBS




»»» ATI627
7.75 LBS




»»» ATI628
1.50 LBS




»»» ATI629
1.00 LBS




»»» ATI630
1.50 LBS




»»» ATI632
4.50 LBS




»»» ATI633
1.50 LBS



»»» ATI634
1.00 LBS




»»» ATI636
1.00 LBS




»»» ATI637
1.75 LBS

BUCKING BARS


BUCKING BARS, STANDARD




»»» ATI638
1.25 LBS




»»» ATI639
2.00 LBS




»»» ATI640
3.00 LBS




»»» ATI641
4.75 LBS




»»» ATI642
2.50 LBS




»»» ATI643
1.25 LBS



»»» ATI644
11.75 LBS




»»» ATI646
2.25 LBS




»»» ATI647
1.50 LBS




»»» ATI648
1.50 LBS




»»» ATI649
2.00 LBS




»»» ATI652
6.00 LBS




»»» ATI653
3.00 LBS



»»» ATI656
1.25 LBS



»»» ATI657
3.00 LBS



»»» ATI658
3.75 LBS




WARNING




SAFETY PRECAUTION: Read and follow all safety and operating instructions.


WARNING: Face & eye protection must be worn while operating power tools, per ANSI B186.1




ATI659
1.50 LBS




ATI661
5.25 LBS




ATI662
0.75 LBS




ATI664
1.25 LBS




ATI665
2.00 LBS




ATI668
3.00 LBS




ATI669
1.50 LBS




ATI670
2.00 LBS




ATI671
2.25 LBS




ATI672
1.25 LBS




ATI674
6.25 LBS




ATI676
0.75 LBS




ATI678
1.75 LBS



ATI679
3.00 LBS




ATI680
2.00 LBS




ATI681
1.50 LBS

BUCKING BARS


BUCKING BARS, STANDARD




»»» ATI682
5.50 LBS




»»» ATI683
3.00 LBS




»»» ATI685
2.00 LBS




»»» ATI686
4.00 LBS




»»» ATI690
2.50 LBS




»»» ATI692
3.25 LBS




»»» ATI694
2.00 LBS




»»» ATI698
3.50 LBS




»»» ATI700
2.00 LBS




»»» ATI701
2.75 LBS




»»» ATI702
2.00 LBS




»»» ATI707
1.50 LBS




»»» ATI708
1.50 LBS




»»» ATI711
1.25 LBS




»»» ATI715
2.00 LBS



»»» ATI718
1.50 LBS




ATI719
2.00 LBS




ATI720
0.75 LBS




ATI721
1.75 LBS




ATI722
1.00 LBS




ATI723
1.25 LBS




ATI724
1.50 LBS




ATI725
2.00 LBS



ATI727
1.00 LBS




ATI728
0.75 LBS




ATI729-1
0.50 LBS


Part Number	A	B	C	Weight
ATI729-1	4"	1/2"	1/2"	0.50
ATI729-2	4"	3/4"	3/4"	0.75
ATI729-3	4"	1"	1"	1.00
ATI729-4	4"	1-1/2"	1-1/2"	2.50
ATI729-5	4"	2"	2"	4.50
ATI729-6	4"	1/2"	3/4"	0.25
ATI729-8	6"	1"	3/4"	1.25
ATI729-9	6"	2"	1"	3.50




ATI730
1.25 LBS




ATI731
2.25 LBS



ATI732
0.75 LBS




ATI735
1.75 LBS




ATI736
2.25 LBS

BUCKING BARS


BUCKING BARS, STANDARD




»»» ATI737
1.00 LBS




»»» ATI750D-23
1.75 LBS




»»» ATI750E-1
3.25 LBS




»»» ATI750K-1
1.00 LBS




»»» ATI750K-2
1.25 LBS




»»» ATI750J-5
1.75 LBS




»»» ATI750J-51
1.50 LBS




»»» ATI750P-3
2.75 LBS




»»» ATI750N-1
2.50 LBS




»»» ATI750N-26
4.75 LBS




»»» ATI750S-1
2.75 LBS




»»» ATI750S-61
2.75 LBS




»»» ATI750T-1
0.75 LBS



»»» ATI750U-1
2.00 LBS




»»» ATI750V-1
1.25 LBS




»»» ATI750Y-1
4.50 LBS







»»» **ATI750Z-1**
2.75 LBS




»»» **ATI751B-21**
1.25 LBS




»»» **ATI751K-1**
3.00 LBS




»»» **ATI751L-4**
0.50 LBS




»»» **ATI751R-H**
0.50 LBS




»»» **ATI751U-1**
1.25 LBS




»»» **ATI751V-1**
1.25 LBS




»»» **ATI751Y-11**
0.75 LBS




»»» **ATI752A-1**
2.25 LBS




»»» **ATI752B-1**
4.00 LBS




»»» **ATI752C-1**
2.50 LBS




»»» **ATI752F-1**
1.25 LBS




»»» **ATI752P-1**
0.50 LBS



»»» **ATI752T-1**
1.00 LBS




»»» **ATI752V-1**
1.62 LBS




»»» **ATI752Z-1**
1.50 LBS

BUCKING BARS


BUCKING BARS, STANDARD




ATI753M-1
1.75 LBS




ATI753T-4
1.25 LBS




ATI760B-1
1.75 LBS




ATI760B-2
1.25 LBS




ATI760B-3
1.75 LBS



ATI760B-7
1.50 LBS




ATI760B-8
1.75 LBS




ATI760B-10
2.00 LBS



ATI760C-1
2.00 LBS



ATI761C-5
4.50 LBS



ATI763
1.25 LBS

BUCKING BAR SET, 4-PC

ATI590BBK

- Set includes 1 each: ATI638, ATI647, ATI670, ATI681



ATI638



ATI647



ATI670



ATI681



ATI's Trauma Reducing Bucking Bar significantly reduces vibration associated with hammering rivets. This unique design features an adjusting screw for increasing or decreasing spring tension, depending on the rivet size and material. The cushioned grip maximizes comfort and adds to the reduction of vibration. The quick-change design enables the changing of bars in seconds. These bucking bars may be used with either recoilless or conventional style Rivet Hammers.



ATI1001UK

The kit consists of five bucking bars, one handle assembly, and plastic carrying case.

Kit includes:


ATI1001A
ATI1001-8
ATI10019
ATI100110
ATI1001-11
ATI100112

ATI1001K


The kit consists of six bucking bars, one handle assembly, and plastic carrying case.

Kit includes:


ATI1001A
ATI1001-8
ATI10019
ATI100110
ATI1001-11
ATI100112
ATI100113




ATI1001A




ATI1001-8




ATI10019




ATI100110



ATI1001-11



ATI100112



ATI100113



SAFETY PRECAUTION: Read and follow all safety and operating instructions.
WARNING: Face & eye protection must be worn while operating power tools, per ANSI B186.1



Nous contacter :

